

D-AX19 : Refresh ATEX Level 1 Execution Officer

PREREQUISITES :

- ❖ Technical competence in electricity
- ❖ Hold an initial ATEX 1 notice that is due to expire

RELEVANT FOR :

- ❖ Technical worker on site under the responsibility of authorized Level 2 staff

OBJECTIVES :

- ❖ Compliance with the European Directive ATEX 1999/92/CE
- ❖ Compliance with the maintenance rules for electrical installations in explosive atmospheres (IEC 600079-14)

TRAINEES PER SESSION :

- ❖ Adaptable to customer requirements
- ❖ Maximum of 6 participants per session to guarantee the pedagogical quality of the training

DURATION :


- ❖ 1 day
- ❖ 7h hours

PROGRAM :

- ✈ Definition of an explosive atmosphere and classification of ATEX areas
- ✈ Scope of 2014/34/UE directive
- ✈ Scope of 1999/92/CE directive
- ✈ Risk evaluation, perimeter and progress
- ✈ Equipment classification and marking
- ✈ ATEX protection measures
- ✈ Products and materials that are authorized or forbidden in an ATEX area
- ✈ Safety instructions

TEACHING FACILITIES :

- ✈ Expert trainers in the field of ATEX and its dangers
- ✈ Qualified Ism_ATEX Ineris trainers
- ✈ Theoretical training rooms equipped with video projector
- ✈ Pedagogical Ism_ATEX INERIS support



TRAINING EVALUATION AND VALIDATION :

- ✈ Theoretical assessment by computer Q.C.M. using the 2JEval application

DOCUMENTS ISSUED :

- ✈ Certificate of completion

LOCATION :

- ✈ Inter-company training : Salies du Salat (31), Toulouse (31)
- ✈ Intra-company training (in your facilities)
- ✈ Online

